

SPEED-POST

To,
The Regional Officer (South)
Rajasthan State Pollution Control Board,
8/263, Malviya Nagar,
Behind Renault Showroom,
Near Jawahar Circle,
Jaipur – 302 017

DATE 02-04-2026

Sub: Submission of documents under Bio-Medical Waste (Management & Handling) Rules, 2016.

Dear Sir,

We are submitting herewith the following:-


- 1) Contract Agreement with Instromedix (India Pvt.Ltd., Jaipur for the year 2026-27 (photocopy). Authorization letter (photocopy) for operating a facility for Collection, Generation, Storage of Bio-Medical Waste
 - 2) Authorization by Pollution Board- Letter No. BMW/2021-22/Jaipur BMW/121 from 30-11-2021.
- Valid till it is cancelled /revoked by the competent authority
- 3) Accident Report for year 2025 in original
 - 4) Annual Report for year 2025 in original.
 - 5) Compliance Report for year 2025

Hope you will find above in order. Please acknowledge receipt.

With regards,

Yours faithfully

For National Engineering Industries Ltd.



(Vineet Rai)

Divisional Head Personnel & IR



Instromedix Waste Management Pvt. Ltd.

(Formerly known as : Hosmedic Healthcare Projects Consultants Pvt. Ltd.)

4th Floor, 402, Gaurav Tower, Malviya Nagar, Jaipur-302017

M. 9772123777, E-mail : iipl.jpr@instromedix.net

Memorandum of Understanding

[2026-2027]

UNIT ID NO.	BMW-	26-27
-------------	------	-------

This MoU is entered into on this 1st Day of April 2026 at Jaipur

BY AND BETWEEN

Instromedix Waste Management Pvt Ltd., having its registered office at A5-A6, Pragati Chambers, Ranjit Nagar Commercial Complex, New Delhi - 11 00 08. And its city office at 402, 4th Floor, Gaurav Tower Malviya Nagar Jaipur 302017 (Hereinafter referred to as "Boot Operator", which expression shall, unless contrary to and or repugnant to the context mean and include its successors, representatives and permitted assigns) through Mr. S K Choudhary (Manager Operation) who has been duly authorized by the Management to enter into and sign this MoU for and on behalf of the Boot Operator of the One Part.

AND

NATIONAL ENGINEERING INDUSTRIES LTD. (Hereinafter referred to as "Waste Generator", which expression shall, unless contrary to and or repugnant to the context mean and include its successors, representatives and permitted assigns) through DR. NARENDRA KUMAR SHARMA of the Other Part.

WHEREAS

1. The Boot Operator has been selected and duly authorized by the Rajasthan State Pollution Control Board (RSPCB) under Rule 8(4) of the Bio-Medical Waste Rules, 2016, for undertaking the activity of Collection, Reception, Treatment, Storage, Transportation and Disposal of Bio-Medical Wastes.
2. The Boot Operator has been contracted by the Jaipur Municipal Corporation to install, maintain & operate the Incinerator, Autoclave, Shredder, Effluent Treatment Plant and Chemical Disinfection unit at Village-Khori-Ropara in Tehsil Sanganer of district Jaipur, for the service of Private, Public and Govt. sector healthcare units.
3. The Waste Generator is desirous of out-sourcing the disposal of its biomedical waste and has approached the Service Provider for its services in this connection.

NOW THIS MOU witnessed the following terms and conditions to be performed by both the parties to the MoU.

1. The Waste Generator will have to ensure proper segregation and arrange collection of only Biomedical Waste generated from its various departments and wards, as per the guidelines of the Bio-Medical Waste Rules, 2016. (Segregation as per details annexed).
2. The Waste Generator will pack the waste at the collection end point, in Color-coded Bags as per the Schedule IV (Rule 6) of the Bio Medical Waste Rules 2016 and keep it ready for the collection by the Boot Operator's Collection Staff on any time which may be mutually agreed upon.

- Contd. 2 -

For Instromedix Waste Management Pvt. Ltd.

SK CHOUDHARY
(Manager Operation)

National Engineering Industries Ltd.

3. The Waste Generator undertakes to deliver to the Boot Operator only the biomedical waste generated on daily basis. General Waste i.e. Municipal Solid Waste is not to be put into the Boot Operators Bags at all. For any violation of the Bio-Medical Rules in this regard the Waste Generator shall be exclusively responsible.
4. The Boot Operator will require the Waste Generator's staff to sign its Daily Route Chart in acknowledgement of biomedical waste handed over. The Boot Operator's staff will sign the Register to be maintained by the Waste Generator in acknowledgement of waste collected. Maintenance of the said Register by the Waste Generator is a statutory requirement and has to be complied with.
5. The Boot Operator reserve the right of refusal to accept Non-Segregated waste, torn off bags or bags not properly sealed or labeled.
6. The Boot Operator hereby agrees to indemnify and keep the Waste Generator harmless and indemnified from and against all and any damages, penalties, fines, that may be initiated by third parties and or by the appropriate authority under the Bio Medical Waste Rules 2016 arising out of or in connection with the failure, refusal and neglect on the part of the Boot Operator to comply with the provisions of the Bio Medical Waste Rules 2016 during transportation and disposal of the Biomedical waste.
7. The Waste Generator declares to have N/A Number of beds in his unit. The Boot Operator will charge RS. 1,92,941/- (Rupees: 1,92,941/-) per Month/Year to the Waste Generator for the waste collected during every month.
(HCF GST No. N/A)

Service Charges:

Sr. No.	Particulars	Monthly	Yearly (Advance)
1.	Hospital/ Nursing Home (Minimum charges up to 8 Beds)	Rs. 8.57/Bed/Day Rs. 2089/- per Month	2893/- per Bed/Year Rs. 23159/- per Year
2.	Labs/Blood Bank/Diagnostic	Rs. 3216/- per Month	Rs. 35368/- per Year
3.	Dispensaries	Rs. 2357/- per Month	Rs. 25724/- per Year
4.	Clinic	Rs. 1819/- per Month	Rs. 19294/- per Year
5.	Veterinary Dispensaries	Rs. 4287/- per Month	Rs. 47158/- per Year
6.	Veterinary Hospitals/ Biological Upits	Rs. 32154/- per Month	

(GST @ 5% Extra)

8. The Waste Generator undertakes to pay Service Bill either through Bank Demand draft / or Post Dated Cheques in advance by 7th of every month. Interest @ 18% P.A. would be charged if payment of Bills is delayed beyond the given period.
9. For the time being we are renewing the contract without any enhancement in our service charges with a condition to revise the charges as and when we get the approval from Association/ Jaipur Municipal Corporation and such revision will have retrospective effect based upon the approval from Competent Authority.
10. The term of this MoU shall be for one financial year commencing from 01/04/2026 and terminating on 31/03/2027 The MoU will be renewed every fiscal year on the basis of upgraded/ existing bed capacity. & rates as per the LOI of Jaipur Municipal Corporation
11. Payment Received through Cash/ Cheque No. 13154 Dated 31/3/26 Drawn On IDBI Bank
12. Notwithstanding anything contained herein, the amount paid by the Waste Generator shall be strictly non-refundable and non-adjustable under any circumstances whatsoever, including relocation or change in the name of the Waste Generator. The Waste Generator shall remain bound and liable to pay the complete charges for the full term of this MoU, without any right of set-off, deduction, or waiver.

NOTWITHSTANDING THE AFORESAID TERM:

13. Notwithstanding the aforesaid term, the Boot Operator may terminate this MoU by giving 30 days written notice or in the event the Waste Generator does not pay the service charges cut Pvt. Ltd.

-III-

14. Neither party shall transfer and / or assign the rights granted under this MoU without the prior intimation to and permission of the other party without obtaining a written undertaking by the proposed assignee/ transferee agreeing to assume all of the said party's obligations under this MoU and to abide by all the obligations and covenants contained herein.
15. No change or modification or waiver of any of the terms of this MoU shall be effective unless agreed to in writing and signed by a duly authorized officer of each of the parties hereto.
16. This MoU shall be governed by the laws of India and shall be interpreted and construed in accordance with the laws of India and the Courts at Jaipur alone shall have exclusive jurisdiction to try, entertain and dispose of any dispute between the parties hereto.
17. As per the Bio Medical Waste Rules 2016 & Bar Code Guideline by CPCB, it is mandatory for Waste Generator to register his/her unit under Bar Code Registration. Waste Generator shall be liable to pay as per Annexure - A Attached
18. All notices, requests, demands and other communications required/ permitted to be given under this MoU shall be in writing, quoting your Customer ID No. and delivered by hand against receipt or sent by registered mail, Telex or by E-mail at the following address.

**WASTE GENERATOR'S FULL ADDRESS
WITH CONTACT TEL. NUM. & E-MAIL ADDRESS:**

NATIONAL ENGINEERING INDUSTRIES LTD.
KHATTIPURA ROAD
JAIPUR (RAJ.) 302006
Phone No 0141- 2223221, 9982096474
e-mail: NARENDRA.SHARMA@nbcbeatings.in
Route Chart No.

BOOT OPERATOR:

INSTROMEDIX WASTE MANAGEMENT PRIVATE LIMITED
402, 4 TH FLOOR, GAURAV TOWER
MALVIYA NAGAR JAIPUR 302017
PHONE: 9772-123-777
e-mail: iipl.jpr@instromedix.net

Any such notice or communication shall be deemed to have been duly given and served at the date and time of (i) delivery or of first refusal of delivery, if sent by registered mail or delivered by hand; or (ii) either the date sent (if sent during the receiving party's normal business hours) or next succeeding business day, if sent by telex or E-mail.

**IN WITNESS WHEREOF, THE PARTIES HERETO HAVE SET THEIR HAND AND SEAL
THE DAY, MONTH AND YEAR FIRST ABOVE WRITTEN.**

**Note:- Statutory Charges Would Be Applied Extra As Per The Government
Notifications Prevailing Rate / S Time To Time.**

Vineet

WASTE GENERATOR
(Name & Designation Seal/ Stamp)

For Instromedix Waste Management Pvt. Ltd.
SK CHAUDHARY
(Manager Operation)
INSTROMEDIX WASTE MANAGEMENT PVT LTD
(Name & Designation Seal/ Stamp)

Annexure – A

Bar Code Registration:

Sr. No.	Product	Price
1	Web Page Creation (One Time Charges)	Rs. 600.00/- + GST 18%

Sr. No.	Product	Price
	Software/ Data Storage/ Server Charges:	
1.	Diagnostic/ Clinic/Blood Bank/Dispensary etc. (Waste Scanned by CTF Team)	Rs. 6100/- Per Year Advance + GST 18%
2.	From 1 to 10 Bedded Unit (Waste Scanned by CTF Team)	Rs. 8250/- Per Year Advance + GST 18%
3.	From 11 to 30 Bedded Unit (Waste Scanned by CTF Team)	Rs. 12100/- Per Year Advance + GST 18%
4.	From 31 to 100 Bedded Unit (Waste Scanned By HCF)	Rs. 16500/- Per Year Advance + GST 18%
5.	From 101 to 500 Bedded Unit (Waste Scanned By HCF)	Rs. 22000/- Per Year Advance + GST 18%
6.	From 501 to 1500 Bedded Unit (Waste Scanned By HCF)	Rs. 33000/- Per Year Advance + GST 18%

Sr. No.	Product	Price
1.	QR Code Sticker Charges	Rs. 1.50/- Per Sticker + GST @ 18%

Terms and Conditions:

- Above 30 Bedded Unit should have to purchase Bluetooth weighing scale at own cost. 50 KG-200 KG Weight Scale with 15*15 Platform Size will cost Rs. 13000+ GST and 50-200 KG Weight scale with 20*20 Platform Size will cost Rs. 16000+ GST
- Payment of the Invoice to be made within 7 days, else interest @18% per annum shall be charged.
- Payment is to be made by A/C Payee Cheque only in favor of Waste Management Corporation. *cheque No. 131541 IDBI Amt = 78181*
- All dispute subject to Jaipur Jurisdiction *Bank*

Vineet
WASTE GENERATOR
(Name & Designation Seal/ Stamp)


WASTE MANAGEMENT CORPORATION
(Name & Designation Seal/ Stamp)

RAJASTHAN STATE POLLUTION CONTROL BOARD

Opp. Road No 5, VKIA, Sikar Road, Jaipur

Phone: 0141-2332263

Registered



F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2104-2105

Date: 30/12/2021

Unit Id : 993

FORM IV


(SEE Rule 10 of BMW Rules, 2016)

(Authorization for operating a facility for Collection, Generation, Reception, Storage of Biomedical Wastes)

- 1 Authorization Letter No. BMW/2021-2022/Jaipur/BMW/121.
- 2 **DEVENDRA SAXENA, Factory Manager of National Engineering Industries Ltd. (NBC) is hereby granted an authorization under Rule 10 of Bio-Medical Waste (Management & Handling) Rules, 2016 (BMW Rules, 2016) to operate a facility for Collection, Generation, Reception, Storage of biomedical waste on the premises situated at Khatipura Road,, Jaipur, Tehsil Jaipur(Vkia), District Jaipur.**
- 3 This authorization is valid till it is cancelled /revoked by the Competent Authority.
- 4 This authorization is valid for operation of the Clinic with 0 (zero) number of beds.
- 5 This authorization is subject to the conditions contained in enclosed annexure and to such other conditions/guidlines as may be specified under BMW Rules, 2016 by Central Pollution Control Board, Delhi or Ministry of Environment & Forests(MoEF), Government of India (GOI) or Department of Environment (DOE), Government of Rajasthan (GOR).
- 6 Segregation, packing, transportation, storage, treatment & disposal of bio medical waste shall be in accordance with Rule 7 & 8 of BMW Rules, 2016. The bio medical waste shall be disposed of at Common Biomedical Waste Treatment & Disposal Facility (CBMWTF) established for the area viz National Engineering Industries Ltd. NBC.
- 7 The mercury bearing waste arising due to breakage of thermometers, pressure gauges and other instruments is not to be treated as bio-medical waste or other solid waste. The mercury bearing waste is to be segregated, collected, stored and disposed in accordance with the provisions of Hazardous Waste and other wastes (Management and Transboundary Movement) Rules, 2016.
- 8 The Annual report in accordance with Rule 13 for the period 1st January to 31st December of previous year shall be submitted On or before 30th June of every year in form - IV as prescribed in the Rules and the annual report shall also be made available on the web-site of the occupier. Further, all the health care facilities shall develop their website within two years from the date of notification of the BMW Rules, 2016, in case not already developed.

Validity unknown

Digitally signed by **May Sharma**
Date: 2021.12.30 15:16:00 IST
Reason: Self Attested
Location:





RAJASTHAN STATE POLLUTION CONTROL BOARD

Opp. Road No 5, VKIA, Sikar Road, Jaipur

Phone: 0141-2332263

Registered

F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2104-2105

Date: 30/12/2021

Unit Id : 993

- 9 The hospital shall maintain the record of biomedical waste as per Rule 14 & shall be produced during the inspection.
- 10 That the hospital shall phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of the BMW Rules, 2016.
- 11 That the hospital shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one years from the date of the notification of the BMW Rules, 2016.
- 12 That the hospital shall provide training to all its health care workers and others, involved in handing of bio-medical waste at the time of induction and thereafter at least once every year and the details of training programs conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report.
- 13 In case of expansion in bed capacity or increase in pollution load, the hospital shall obtain prior Consent to Establish under Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 & revised Authorization under BMW Rules, 2016.
- 14 That the hospital shall comply the provisions of Bio-medical Waste Management Rules, 2016.
- 15 That the hospital shall comply with the standards for treatment disposal of Bio-medical Waste as specified under schedule II of Bio-medical Waste Management Rules, 2016.
- 16 That infected hospital liquied waste must be given chemical treatment by using at least 10% hypochlorite solution or any other equivalent chemical reagent to ensure required disinfection as prescribed in part-2 of schedule-I of the Rules.

Validity unknown

Digitally signed by May Sharma
Date: 2021.12.30 16:00 IST
Reason: Self Attested
Location:





RAJASTHAN STATE POLLUTION CONTROL BOARD

Opp. Road No 5, VKIA, Sikar Road, Jaipur

Phone: 0141-2332263

Registered

F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2104-2105


Date: 30/12/2021

Unit Id : 993

- 17 This authorization is not evidence for ascertaining entitlement of land.
- 18 That all safety measures, as per fire safety regulation, shall be installed in the hospital premises and permission for the same shall also be obtained from competent authority.
- 19 That this authorization shall be subject to compliance of any direction or order passed by Court of Law in the matter.
- 20 That this authorization is subject to validity of contractual agreement with CBMWTF.
- 21 That the disposal of Bio Medical Waste through any unauthorized person/agency other than CBMWTF is punishable under the provisions of Bio-Medical Waste Management (amendment) Rules, 2018 and Environment (Protection) Act, 1986.
- 22 That the liquid waste generated from the hospital activities shall be treated up to prescribed standards as prescribed under Bio Medical Waste Management(amendment) Rules, 2018 and disposed as per the provisions of Water (Prevention and control of pollution) Act, 1974.
- 23 That HCF shall maintain record of water consumption.
- 24 This authorization is valid for operating 0 (Zero) Beds only. Health care Facility (HCF) shall not exceed the bed capacity without prior permission of the State Board.
- 25 That HCF shall maintain sewage treatment plant (STP) of adequate capacity so as to treat the entire domestic waste water up to the prescribed norms.
- 26 That water flow meters shall be provided at all suitable points to measure quantity of daily water consumption, waste water generation. Daily record of the same shall be maintained and to be submitted to this office.
- 27 That the entire treated sewage shall be utilised within the premises for flushing, cooling horticulture/plantation and zero discharge status shall be maintained outside the premises.
- 28 That unit shall not install any other source of air pollution i.e. D.G. Set or Boiler etc. without obtaining prior consent to establish from the State Board.
- 29 That Health care Facility (HCF) shall not abstract any ground water without prior permission of the competent authority and fresh water requirement shall be met out by PHED/tanker supply only.
- 30 That Health care facility (HCF) shall dispose the municipal waste as per the provisions of Municipal Solid Wastes (Management and Handling) Rules, 2016 and in no case Bio medical waste will be disposed with municipal waste.

Validity unknown

Digitally signed by May Sharma
Date: 2021.12.30 16:00 IST
Reason: Self Attested
Location:





RAJASTHAN STATE POLLUTION CONTROL BOARD

Opp. Road No 5, VKIA, Sikar Road, Jaipur

Phone: 0141-2332263

Registered

F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2104-2105

Date: 30/12/2021

Unit Id : 993


- 31 That Health care facility Shall not construct building having more than 20000,Square Meter total builtup area without obtaining prior Environmental Clearance from competent authority.
- 32 That proponent shall not dig borewell & extract ground water without the prior permission from Central Ground Water Authority (CGWA) & RSPCB.
- 33 That any Incorrect Information submitted in the consent application form or declaration shall make the HCF liable for legal action under section 42 of the Water Act and section 38 of the Air Act.
- 34 That proponent shall submit the detailed water balance with per bed water consumption & waste water generation.
- 35 That the hospital shall maintain record of collection, storage and transportation of bio-medical waste to Common Bio-Medical Waste Treatment and Disposal Facility (CBWTF) for disposal. The quarterly abstract related to the collection, storage, transportation and disposal shall be submitted to the H.O. and Regional Office in the format given below:

Sr. No.	Month & Year	Disposal of bio-medical waste as per colour code (in Kg.)				Number of collection trips by CBWTF
		Yellow	Red	Blue / White	Black	

- 36 This Authorization is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time being in force, rests with the hospital/ unit / project proponent.
- 37 This Authorization shall not, in any way, adversely affect or jeopardize the legal proceedings, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made there under.

Validity unknown

Digitally signed by Jay Sharma
Date: 2021.12.30 16:00 IST
Reason: Self Attested
Location:





RAJASTHAN STATE POLLUTION CONTROL BOARD

Opp. Road No 5, VKIA, Sikar Road, Jaipur

Phone: 0141-2332263

Registered

F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2104-2105

Date: 30/12/2021

Unit Id : 993

Enclose :- Annexure

Yours Sincerely

Regional Officer

Copy To:-

1 Master File

Regional Officer

To :

M/s National Engineering Industries Ltd. (NBC)

Khatipura Road, Jaipur-302006 , Jaipur Tehsil:Jaipur

District:JAIPUR

Validity unknown

Digitally signed by Jay Sharma
Date: 2021.12.30 16:00 IST
Reason: Self Attested
Location:





Regional Office Jaipur
Rajasthan State Pollution Control Board
Opp. Road No 5, VKIA, Sikar Road, Jaipur
Phone: 0141-2332263

Registered

File No : F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2100-2101

Order No: 2021-2022/Jaipur/10440

Date: Dec 30 2021 3:13PM

Unit Id : 993

Parameters	Standards
Total Suspended Solids	Not to exceed 100 mg/l
Oil and Grease	Not to exceed 10 mg/l
Biochemical Oxygen Demand (3 days at 27°C)	Not to exceed 30 mg/l
Chemical Oxygen Demand	Not to exceed 250 mg/l
pH Value	Between 6.0 to 8.5

6. That the National Engineering Industries Ltd. (NBC) plant shall comply the provisions of Bio-medical Waste (Management & Handling) Rules, 2016.
7. That the National Engineering Industries Ltd. (NBC) plant shall comply with the standards for treatment & disposal of Bio-medical Waste as specified under Schedule II of Bio-medical Waste (Management & Handling) Rules, 2016.
8. That infected hospital liquid waste must given chemical treatment by using at least 10% hypochlorite solution or any other equivalent chemical reagent to ensure required disinfection.
9. That no treated/untreated effluent will be discharged outside the hospital and all the treated waste water will be utilized for plantation inside the hospital premises.
10. In case the Health Care Facility establishes any indoor admission facility then, the Health care Facility will need to obtain prior Consent to Establish under Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 and Consent to Operate under Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981.
11. This consent is not evidence for ascertaining entitlement of land.
12. That all safety measures, as per fire safety regulation, shall be installed in the hospital premises and permission for the same shall also be obtained from competent authority.
13. That this consent shall be subject to compliance of any direction or order passed by Court of Law in the matter.
14. That water consumption shall not exceed 0.5 KLD and proper record of water consumption shall be maintained.

Validity unknown

Digitally signed by Jay Sharma
Date: 2022.02.09 06:16 IST
Reason: Self Attested
Location:





Regional Office Jaipur
Rajasthan State Pollution Control Board
Opp. Road No 5, VKIA, Sikar Road, Jaipur
Phone: 0141-2332263

Registered

File No : F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2100-2101

Order No: 2021-2022/Jaipur/10440


Date: Dec 30 2021 3:13PM

Unit Id : 993

- 15 That HCF shall maintain sewage treatment plant (STP) of adequate capacity so as to treat the entire domestic waste water up to the norms prescribed at condition no 5.
- 16 That water flow meters shall be provided at all suitable points to measure quantity of daily water consumption, waste water generation. Daily record of the same shall be maintained and to be submitted to this office.
- 17 That the entire treated sewage shall be utilised within the premises for flushing, cooling horticulture/plantation and zero discharge status shall be maintained outside the premises.
- 18 That this consent is subject to validity of contractual agreement with CBMWTF.
- 19 That the disposal of Bio Medical Waste through any unauthorized person/agency other than CBMWTF is punishable under the provisions of Bio-Medical Waste Management (amendment) Rules, 2018 and Environment (Protection) Act, 1986.
- 20 That the liquid waste generated from the hospital activities shall be treated up to prescribed standards as prescribed under Bio-Medical Waste Management (amendment) Rules, 2018 and disposed as per the provisions of Water (Prevention and control of pollution) Act, 1974.
- 21 That Health care facility (HCF) shall dispose the municipal waste as per the provisions of Municipal Solid Wastes (Management and Handling) Rules, 2016 and in no case Bio medical waste will be disposed with municipal waste.
- 22 That Health care facility Shall not construct building having more then 20000, Square Meter total builtup area without obtaining prior EC from competent authority.
- 23 That proponent shall not dig borewell & extract ground water without the prior permission from Central Ground Water Authority (CGWA) & RSPCB.
- 24 That unit shall not install any other source of air pollution i.e. D.G. Set or Boiler etc. without obtaining prior consent to establish from the State Board.
- 25 That any incorrect information submitted in the consent application form or declaration shall make the HCF liable for legal action under section 42 of the Water Act and section 38 of the Air Act.
- 26 That proponent shall submit the detailed water balance with per bed water consumption & waste water generation.
- 27 That the hospital will submit permission for Establishment of hospital from JDA/Nagar Nigam/Municipality within 30 days.

Validity unknown

Digitally signed by Jay Sharma
Date: 2022.01.03 10:06:16 IST
Reason: Self Attested
Location:





Regional Office Jaipur
Rajasthan State Pollution Control Board
Opp. Road No 5, VKIA, Sikar Road, Jaipur
Phone: 0141-2332263

Registered

File No : F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2100-2101

Order No: 2021-2022/Jaipur/10440

Unit Id : 993

Date: Dec 30 2021 3:13PM

- 28 That the project Proponent shall comply with provision of the Batteries (Management and handling) Rules, 2001 (as amended) and submit half yearly returns (as bulk consumer, importer, auctioneer, recycler as the case may be) to the State Board as provided under rule 10 (2) (ii) of the Battery (Management and Handling) Rules, 2001 (as amended). In case the Project Proponent is not a bulk consumer even then the used batteries shall be returned to the authorized dealers or recyclers only.
- 29 That the record of batteries purchased and sold/returned to registered dealers and/ or authorized recyclers shall be maintained and made available to the officers of the Board during inspection.
- 30 That, notwithstanding anything provided hereinabove, the State Board shall have power and reserves its right, as contained under section 27(2) of the Water Act and under section 21(6) of the Air Act to review anyone or all the conditions imposed here in above and to make such variation as it deemed fit for the purpose of Air Act & Water Act.
- 31 That the grant of this Consent to Operate is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.
- 32 That the grant of this Consent to Operate shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made thereunder.

This Consent to Operate shall also be subject, besides the aforesaid specific conditions, to the general conditions given in the enclosed Annexure. The project proponent will comply with the provisions of the Water Act and to such other conditions as may, from time to time, be specified, by the State Board under the provisions of the aforesaid Act(s). Please note that, non compliance of any of the above stated conditions would tantamount to revocation of Consent to Operate and project proponent / occupier shall be liable for legal action under the relevant provisions of the said Act(s).

Validity unknown

Digitally signed by Jay Sharma
Date: 2022.01.09 10:16 IST
Reason: Self Attested
Location: Jaipur





Regional Office Jaipur
Rajasthan State Pollution Control Board
Opp. Road No 5, VKIA, Sikar Road, Jaipur
Phone: 0141-2332263

Registered

File No : F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2100-2101

Order No: 2021-2022/Jaipur/10440

Unit Id : 993

Date: Dec 30 2021 3:13PM

Yours Sincerely

Regional Officer[Jaipur]

(A): Copy To:-

Regional Officer[Jaipur]

Validity unknown

Digitally signed by Vijay Sharma
Date: 2022.07.09 13:06:16 IST
Reason: Self Attested
Location:



ACCIDENT REPORTING

- | | |
|--|--|
| 1. Date and time of Accident | Nil |
| 2. Type of Accident | Nil |
| 3. Sequence of events leading to accident | Nil |
| 4. Has the Authority been informed immediately | Not Required. |
| 5. The type of waste involved in accident | Nil |
| 6. Assessment of the effect of the accidents on human health and the environment | Nil |
| 7. Emergency measures taken | Nil |
| 8. Steps taken to alleviate the effects of accidents | Nil |
| 9. Steps taken to prevent the recurrence of such an accident | Nil |
| 10. Does your facility has an Emergency Control Policy? If yes, give details. | Yes, Having 24 hours Ambulance facility and Nursing Staff on duty round the clock. |

Date: 02-04-2026

Place: JAIPUR.

Signature : 
(VINEET RAI)

Designation: DIVISIONAL HEAD PERSONNEL & IR
NATIONAL ENGINEERING INDUSTRIES LTD.,
KHATIPURA ROAD, JAIPUR-302006





Regional Office Jaipur
Rajasthan State Pollution Control Board
Opp. Road No 5, VKIA, Sikar Road, Jaipur
Phone: 0141-2332263



Registered

File No : F(BMW)/JAIPUR(Jaipur(VKIA))/2928(1)/2016-2017/2100-2101

Order No : 2021-2022/Jaipur/10440

Unit Id : 993

Date: Dec 30 2021 3:13PM

M/s National Engineering Industries Ltd. (NBC)

Khatipura Road, Jaipur-302006, Jaipur Tehsil:Jaipur

District:JAIPUR

Sub: Consent to Operate under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974.

Ref: Your application for Consent to Operate dated 23/07/2021 and subsequent correspondence.

Sir,

Consent to Operate under the provisions of section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) as amended to date and rules & the orders issued thereunder is hereby granted for your National Engineering Industries Ltd. (NBC) plant situated at Khatipura Road, Jaipur-302006 Jaipur Tehsil:Jaipur(VKIA) District:JAIPUR, Rajasthan, subject to the following conditions:-

- 1 That this Consent to Operate is valid till it is cancelled /revoked by the Competent Authority.
- 2 That this one time Consent is valid only for with 0 number of beds.
- 3 That this consent to operate is for existing plant, process & capacity and separate consent to establish/operate is required to be taken for any addition / modification / alteration in process or change in capacity or change in fuel.
- 4 That the quantity of effluent generation along with mode of disposal for the treated effluent shall be as under:

Type of effluent	Max. effluent generation (KLD)	Recycled Qty of Effluent (KLD)	Disposed Qty of effluent (KLD)and mode of disposal
Domestic Sewage	0.200	NIL	0.200 Sewage Treatment Plant

- 5 That the domestic sewage shall be treated before disposal so as to conform to the standards prescribed under the Environment (Protection) Act-1986 for disposal Into Inland Surface Water. The main parameters for regular monitoring shall be as under.

Validity unknown

Digitally signed by May Sharma
Date: 2022.02.03 13:06:16 IST
Reason: Self Attested
Location:



FORM – IV
(See Rule 13)
(Old Form – II – See Rule 10)

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio medical waste treatment facility (CBWTF)]

Sl.No	Particulars											
1	Particulars of the Occupier :											
	(i) Name of the authorized person (occupier or operator of facility)	: Mr. Vineet Rai										
	(ii) Name of HCF or CBMWTF	: CLINIC – HCF National Engineering Industries Ltd.										
	(iii) Address for correspondence	: Khatipura Road, Jaipur-302006 (Rajasthan)										
	(iv) Address of facility	: As above.										
	(v) Tel.No. , Fax No.	: 0141-2223221 Extn. 1335, 2221926										
	(vi) E-mail ID	: narendra.sharma@nbcbearings.in										
	(vii) URL of Website	: www.nbcbearings.in										
	(viii) GPS Coordinates of HCF or CBMWTF	: No										
	(ix) Ownership of HCF or CBMWTF	: HCGF - National Engineering Industries Ltd.										
	(x) Status of Authorization under Bio-Medical Waste (Management & Handling) Rules.	: Authorization No. BMW/2021-2022/JAIPUR/BMW/121 dated 30.12.2021 Valid up to 30.11.2021.										
	(xi) Status of Consents under Water Act and Air Act.	: Valid TILL IT IS CANCELLED/REVOKED BY THE COMPETENT AUTHORITY										
2	Type of Health Care Facility	: CLINIC										
	(i) Bedded Hospital	: No. of Beds : Nil.										
	(ii) Non-bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: CLINIC										
	(iii) License Number and its date of expiry	: -										
3	Details of CBNWTF	: Instromedix (India) Pvt. Ltd., Jaipur.										
	(i) Number of health care facilities covered by CBMWTF	:										
	(ii) No. of beds covered by CBMWTF.	:										
	(iii) Installed treatment and disposal capacity of CNMWTF.	: _____ Kg per day.										
	(iv) Quantity of bio-medical waste treated or disposed by CBMWTF.	: _____ Kg / day.										
4	Quantity of waste generated or disposed in Kg. per annum (on monthly average basis)	: <table border="1" style="display: inline-table; vertical-align: top;"> <tr> <td>Yellow Category</td><td>: 14.65 kg/year</td></tr> <tr> <td>Red Category</td><td>: 1.25 kg / year</td></tr> <tr> <td>White Category</td><td>: 0.00 kg/year</td></tr> <tr> <td>Blue Category</td><td>: 0.4 Kg / year</td></tr> <tr> <td>General Solid Waste</td><td>: Nil</td></tr> </table>	Yellow Category	: 14.65 kg/year	Red Category	: 1.25 kg / year	White Category	: 0.00 kg/year	Blue Category	: 0.4 Kg / year	General Solid Waste	: Nil
Yellow Category	: 14.65 kg/year											
Red Category	: 1.25 kg / year											
White Category	: 0.00 kg/year											
Blue Category	: 0.4 Kg / year											
General Solid Waste	: Nil											

5	Details of Storage, treatment, transportation, processing and Disposal Facility :- Out-sourced to Instromedix (India) Pvt. Ltd., Jaipur.				
(i) Details of the on-site storage facility		:	Size :		
			Capacity :		
			Provision of on-site storage : (cold storage or any other provision)		
(ii) Disposal Facilities		:	Type of treatment equipment.	No. of Units	Capacity Kg/day
					Quantity treated or disposed in kg per annum
			Incinerators		
			Plasma Pyrolysis		
			Autoclaves		
			Mircowave		
			Hydroclave		
			Shredder		
			Needle tip cutter or destroyer		
			Sharps		
			Encapsulation or concrete pit		
			Deep burial pits		
			Chemical disinfection		
			Any other treatment equipment		
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.		:	Red Category (like plastic, glass etc.) : Nil		
(iv) No. of vehicles used for collection and transportation of biomedical waste.		:	-		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum.		:		Quantity generated	Where disposed
			Incineration		
			Ash		
			ETP Sludge		
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of.		:	Instromedix (India) Pvt.Ltd., Jaipur.		
(vii) List of member HCF not handed over bio-medical waste.		:			
6	Do you have bio-medical waste management committee ? If yes, attach minutes of the meetings held during the reporting period.	:	Yes Now bar coding is done on biomedical waste bags Annual report available on NEI website We are in compliance with all Biomedical rules		

7	Details of training conducted on BMW	:	
	(i) Number of trainings conducted on BMW Management.	:	2 TWO
	(ii) Number of personnel trained	:	4 FOUR
	(iii) Number of personnel trained at the time of induction	:	4 FOUR
	(iv) Number of personnel not undergone any training so far.	:	Nil
	(v) Whether standard manual for training is available ?	:	
	(vi) Any other information	:	No
8	Details of the accident occurred during the year :-		
	(i) No. of accidents occurred	:	Nil
	(ii) No. of the persons affected	:	Nil
	(iii) Remedial Action taken (Please attach details if any)	:	Nil
	(iv) Any fatality occurred, details	:	Nil
9	Are you meeting the standards of Air Pollution from the incinerator ? How many times in last year could not met the standards ?	:	Out-sourced to Instromedix (India) Pvt. Ltd., Jaipur.
	Details of continuous online emission monitoring systems installed	:	N.A.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year ?	:	N.A.
11	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	:	N.A.
12	Any other relevant information (Air Pollution Control Devices attached with the Incinerator)	:	Out-sourced to Instromedix (India) Pvt. Ltd., Jaipur.

Certified that the above report is for the period from 01.01.2025 to 31.12.2025

Name and Signature of the Head of the Institution

(VINEET RAI)

DIVISIONAL HEAD PERSONNEL & IR

Date : 02-04-2026

Place : Jaipur.

From:
M/s. National Engineering Industries Ltd.,
Khatipura Road,
Jaipur – 302006 (Rajasthan)

To
The Regional Officer, Jaipur (CITY)
Rajasthan State Pollution Control Board,
8/263, Malviya Nagar, Behind Renault Showroom,
Near Jawahar Circle,
Jaipur. – 302 017

Subject: Compliance Report.

Reference to your issued Authorization under The Biomedical Waste (Management & Handling) Rules 1998
vide your Letter # **Dated**

1. Authorization Letter No. BMW/2016-17/JAIPUR/BMW/254 dated 13/01/2017.
It is noted for Compliance/complied
2. Clinic of M/s. National Engineering Industries Ltd., Khatipura Road, Jaipur-302006 is hereby granted an authorization under Rule 8 of Bio- Medical Waste (Management & Handling) Rules, 1998 (BMW Rules 1998) to Operate a facility for collection, Generation, Reception, Storage, Treatment of Bio Medical Waste on the premises situated at Khatipura Road, Jaipur-302006.
It is noted for Compliance/complied
3. This authorization shall be in force for a period from 30-12-2016 to 30-11-2021
It is noted for Compliance/complied
4. This authorization is valid for operation of the **Dispensary** with **NIL** numbers of Beds.
It is noted for Compliance/complied
5. This authorization is subject to the conditions contained in enclosed annexure and to such other condition/ guidelines as may be specified under BMW Rules, 1998 by Center Pollution Control Board, Delhi or MoEF, GOI or DOE, GOR.
It is noted for Compliance/complied
6. Segregation, packing, transpotation, storage, treatment & disposal of bio Medical waste shall be in accordance with Rule 5&6 of BMW Rules, 1998. The bio medical waste shall be disposed of at Common Bio Medical Waste Treatment & Disposal Facility (CBMWTF) established for the area viz.
It is noted for Compliance/complied

7. The mercury bearing waste arising due to breakage of thermometers, pressure gauges and other instruments is not to be treated as bio-medical waste or other solid waste. The mercury bearing waste is to be segregated, collected, stored and disposed in accordance with the provisions of Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008
It is noted for Compliance/complied
8. The Annual report in accordance with Rule 10 for the period of 01st January to 31st December of Previous year shall be submitted within 30 Days.
It is noted for Compliance/complied
9. The hospital shall maintain the record of bio medical waste as per Rule 11 & shall be produced during the inspection.
It is noted for Compliance/complied
10. The application for renewal of authorization shall be submitted in prescribed form along with requisite fee, affidavit, assessment format, annual report & copy of valid agreement with CBMWTF at least 120 days before the date of expiry of this authorization.
It is noted for Compliance/complied
11. In case of expansion, the hospital shall obtain prior Consent to Establish under Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 & Authorization under BMW Rules, 1998.
It is noted for Compliance/complied
12. The hospital shall submit application for Consent to Operate under Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 for the existing facility within 30 days.
It is noted for Compliance/complied
13. This authorization is not evidence for ascertaining entitlement of land.
It is noted for Compliance/complied
14. That all safety measures, as per fire safety regulation, shall be installed in the hospital premises and permission for the same shall also be obtained from the competent authority.
It is noted for Compliance/complied
15. That the hospital shall maintain record of Collection, Storage and transpotation of bio-medical waste to Common Bio-Medical Waste Treatment and Disposal Facility (CBMWTF) for disposal. The quarterly abstract related to the collection, storage, transpotation and disposal shall be submitted to the HO and Regional Office as per desired Format.
It is noted for Compliance/complied

16. This Authorization is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time being in force, rests with the hospital/ unit/ project proponent.

It is noted for Compliance/complied


17. This Authorization shall not, in any way, adversely affect or jeopardize the legal proceedings, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made there under.

It is noted for Compliance/complied

We assure to render our best co-operation and services, for the clean and healthy environment. We at the same time seek your co-operation as well, because together only if we work the objective for better compliance of the said rule can be achieved.

Thanking You,

Sincerely Yours
For National Engineering Industries Ltd., Jaipur


Vineet Rai
Divisional Head Personnel & IR
Authorized Signatory

 Date : 02-04-2026